

VALIDATION REPORT

GEEA-SBS BIOMASS TREATMENT PROJECT IN ALEGRETE, RIO GRANDE DO SUL, BRAZIL

REPORT NO. 2007-9008 REVISION NO. 02a

DET NORSKE VERITAS



VALIDATION REPORT

Date of first issue: 2007-01-17	Project No.: 28624550	DET NORSKE VERITAS CERTIFICATION AS
Approved by: Einar Telnes Director	Organisational unit: DNV Certification, International Climate Change Services	Veritasveien 1 1322 HøvikNorway Tel: +47 6757 9900 Fax: +47 6757 9911 http://www.dnv.com
^{Client:} Mitsubishi UFJ Securities Co. Ltd.	Client ref.: Mara Regina Mendes	_

Summary:

Det Norske Veritas Certification AS (DNV) has performed a validation of the GEEA-SBS Biomass Treatment Project in Alegrete, Rio Grande do Sul, Brazil on the basis of UNFCCC criteria for the CDM, as well as criteria given to provide for consistent project operations, monitoring and reporting. UNFCCC criteria refer to Article 12 of the Kyoto Protocol, the CDM modalities and procedures, the simplified modalities and procedures for small-scale CDM project activities and the subsequent decisions by the CDM Executive Board. The validation consisted of the following three phases: i) a desk review of the project design documents, ii) follow-up interviews with project stakeholders and iii) the resolution of outstanding issues and the issuance of the final validation report and opinion.

This validation report summarizes the findings of the validation. The only changes made to this version of the validation report compared to the validation report rev. 02 dated 06 March 2007 referred to in the letter of approval of the DNA of Brazil are linked to the status of issuance of the letter of approval by the DNAs of Brazil and Japan and the new version 3.1 of the PDD.

In summary, it is DNV's opinion that the "GEEA-SBS Biomass Treatment Project in Alegrete, Rio Grande do Sul, Brazil" as described in the revised PDD of 22 August 2007 meets all relevant UNFCCC requirements for the CDM and all relevant host country criteria and correctly applies the baseline and monitoring methodology AMS-III.E (Version 10 of 23 December 2006). Hence, DNV will request the registration of the "GEEA-SBS Biomass Treatment Project in Alegrete, Rio Grande do Sul, Brazil" as a CDM project activity.

Report No.: 2007-9008	Sub En	iect Group: vironment	Inde	exing terms	
Report title: GEEA-SBS Biomass Treatment Project in Alegrete, Rio Grande do Sul, Brazil.		Key Clin Kyc Val	words mate Change oto Protocol idation	Service Area Verification Market Sector	
			Clean Development Mechanism		Process Industry
Work carried out by: Andrea Leiroz, Raphael Souza, Luis Filipe Tavares.		No distribution without permission from the client or responsible organisational unit			
Work verified by: Einar Telnes		free distribution within DNV after 3 years			
Date of this revision:	Rev. No.:	Number of pages:		Strictly confidential	ion
2007-00-20	02a	12			.1011

© 2002 Det Norske Veritas AS

All rights reserved. This publication or parts thereof may not be reproduced or transmitted in any form or by any means, including photocopying or recording, without the prior written consent of Det Norske Veritas AS.

VALIDATION REPORT

Table of Content

1	INTRODUCTION	1
1.1	Validation Objective	1
1.2	Scope	1
1.3	Description of Proposed CDM Project	1
2	METHODOLOGY	2
2.1	Review of Documents	4
2.2	Follow-up Interviews	4
2.3	Resolution of Clarification and Corrective Action Requests	4
2.4	Internal Quality Control	4
3	VALIDATION FINDINGS	5
3.1	Participation Requirements	5
3.2	Project Design	5
3.3	Baseline Determination	6
3.4	Additionality	7
3.5	Monitoring Plan	7
3.6	Calculation of GHG Emissions	8
3.7	Environmental Impacts	9
3.8	Comments by Local Stakeholders	9
4	COMMENTS BY PARTIES, STAKEHOLDERS AND NGOS	9
5	VALIDATION OPINION 1	0
REFER	ENCES1	1
Appendi	ix A Validation Protocol	

Appendix B Certificates of Competence



Page

VALIDATION REPORT



Abbreviations

BM	Build margin
CAR	Corrective Action Request
CDM	Clean Development Mechanism
CEF	Carbon Emission Factor
CER	Certified Emission Reduction
CH_4	Methane
CL	Clarification request
CO_2	Carbon dioxide
CO ₂ e	Carbon dioxide equivalent
DNV	Det Norske Veritas
DNA	Designated National Authority
GEEA	Geradora de Energia Elétrica Alegrete Ltda
GHG	Greenhouse gas(es)
GWP	Global Warming Potential
IPCC	Intergovernmental Panel on Climate Change
MP	Monitoring Plan
N_2O	Nitrous oxide
NGO	Non-governmental Organisation
ODA	Official Development Assistance
PDD	Project Design Document
SBS	Sílica Brasil Sul Ltda.
UNFCCC	United Nations Framework Convention on Climate Change



VALIDATION REPORT

1 INTRODUCTION

Mitsubishi UFJ Securities Co. Ltd. has commissioned Det Norske Veritas Certification AS. (DNV) to perform a validation of the GEEA-SBS Biomass Treatment Project in Alegrete, Rio Grande do Sul, Brazil CDM project(abbreviated as GEEA-SBS Biomass Treatment Project). This report summarises the findings of the validation of the project, performed on the basis of UNFCCC criteria for small-scale CDM projects, as well as criteria given to provide for consistent project operations, monitoring and reporting. The only changes made to this version of the validation report compared to the validation report rev. 02 dated 06 March 2007 referred to in the letter of approval of the DNA of Brazil are linked to the status of issuance of the letter of approval by the DNAs of Brazil and Japan and the new version 3.1 of the PDD.

The validation team consists of the following personnel:

Ms. Andrea Leiroz	DNV Certification AS Brazil	Team leader, CDM validator.
Mr. Raphael Souza	DNV Certification AS Brazil	GHG auditor
Mr. Luis Filipe Tavares	DNV Certification AS Brazil	Sector expert
Mr Einar Telnes	DNV Certification AS Norway	Technical reviewer

1.1 Validation Objective

The purpose of a validation is to have an independent third party assessing the project design. In particular, the project's baseline, the monitoring plan, and the project's compliance with relevant UNFCCC and host Party criteria are validated in order to confirm that the project design as documented is sound and reasonable and meets the identified criteria. Validation is a requirement for all CDM projects and is seen as necessary to provide assurance to stakeholders of the quality of the project and its intended generation of certified emission reductions (CERs).

1.2 Scope

The validation scope is defined as an independent and objective review of the project design document (PDD). The PDD is reviewed against the criteria stated in Article 12 of the Kyoto Protocol, the CDM modalities and procedures as agreed in the Marrakech Accords, the simplified modalities and procedures for small-scale CDM project activities and the relevant decisions by the CDM Executive Board, including the approved baseline and monitoring methodology AMS-III.E (Version 10 of 23 December 2006 /10/). The validation team has, based on the recommendations in the Validation and Verification Manual /9/ employed a risk-based approach, focusing on the identification of significant risks for project implementation and the generation of CERs.

The validation is not meant to provide any consulting towards the project participants. However, stated requests for clarifications and/or corrective actions may have provided input for improvement of the project design.

1.3 Description of Proposed CDM Project

The "GEEA-SBS Biomass Treatment Project" CDM project activity consists of installing a biomass treatment plant adjacent to Pilecco Rice Mill in the Alegrete City, Rio Grande do Sul State, Brazil. This project aims to reduce GHG emissions (methane emissions) by avoiding the



VALIDATION REPORT

decay of rice husk. Risk husk will instead be used to produce higher quality of silica through the chemical and thermal treatment of risk husk.

Combustion of rice husks produces rice husk ash, which is rich in silica and can be used as a raw material in other processes such as cement.

The forecasted amount of GHG emission reductions from the project is projected to be 192 229 tonnes CO_2 equivalents (t CO_2 e) during the fixed 10-year crediting period, resulting in forecasted average annual emission reductions of 19 223 t CO_2 e.

2 METHODOLOGY

The validation consisted of the following three phases:

- I a desk review of the project design documents;
- II follow-up interviews with project stakeholders;

III the resolution of outstanding issues and the issuance of the final validation report and opinion.

In order to ensure transparency, a validation protocol was customised for the project, according to the Validation and Verification Manual. The protocol shows in transparent manner criteria (requirements), means of verification and the results from validating the identified criteria. The validation protocol serves the following purposes:

- It organises, details and clarifies the requirements a CDM project is expected to meet;
- It ensures a transparent validation process where the validator will document how a particular requirement has been validated and the result of the validation.

The validation protocol consists of three tables. The different columns in these tables are described in Figure 1.

The completed validation protocol for the GEEA-SBS Biomass Treatment Project in Alegrete, Rio Grande do Sul, Brazil is enclosed in Appendix A to this report.

Findings established during the validation can be seen as a non-fulfilment of validation protocol criteria or where a risk to the fulfilment of project objectives is identified. *Corrective action requests* (CARs) are issued, where:

- i) Mistakes have been made with a direct influence on project results;
- ii) Validation protocol requirements have not been met; or
- iii) There is a risk that the project would not be accepted as a CDM project or that emission reductions will not be certified.

The term request for *clarification* (CL) is used where additional information is needed to fully clarify an issue.



VALIDATION REPORT

Validation Protocol Table 1: Mandatory Requirements for CDM Project Activities				
Requirement	Reference	Conclusion	Cross reference	
The requirements the project must meet.	Gives reference to the legislation or agreement where the requirement is found.	This is either acceptable based on evidence provided (OK), a Corrective Action Request (CAR) of risk or non- compliance with stated requirements or a request for Clarification (CL) where further clarifications are needed.	Used to refer to the relevant checklist questions in Table 2 to show how the specific requirement is validated. This is to ensure a transparent Validation process.	

Validation Protocol Table 2: Requirement Checklist				
Checklist Question	Reference	Means of verification (MoV)	Comment	Draft and/or Final Conclusion
The various requirements in Table 1 are linked to checklist questions the project should meet. The checklist is organised in seven different sections. Each section is then further sub-divided. The lowest level constitutes a checklist question.	Gives reference to documents where the answer to the checklist question or item is found.	Explains how conformance with the checklist question is investigated. Examples of means of verification are document review (DR) or interview (I). N/A means not applicable.	The section is used to elaborate and discuss the checklist question and/or the conformance to the question. It is further used to explain the conclusions reached.	This is either acceptable based on evidence provided (OK), or a Corrective Action Request (CAR) due to non- compliance with the checklist question (See below).A request for Clarification (CL) is used when the validation team has identified a need for further clarification.

Validation Protocol Table 3: Resolution of Corrective Action Requests and Requests for Clarification				
Draft report corrective action requests and requests for clarifications	Ref. to Table 2	Summary of project participants' response	Final conclusion	
If the conclusions from the draft Validation are either a Corrective Action Request or a Clarification Request, these should be listed in this section.	Reference to the checklist question number in Table 2 where the Corrective Action Request or Clarification Request is explained.	The responses given by the project participants during the communications with the validation team should be summarised in this section.	This section should summarise the validation team's responses and final conclusions. The conclusions should also be included in Table 2, under "Final Conclusion".	

Figure 1	Validation	protocol	tables
I Igui C I	v ana anon	protocor	units



VALIDATION REPORT

2.1 Review of Documents

The Project Design Document (version 2 of 26 December 2006) /1/ submitted by Mitsubishi was assessed by DNV. The documentation was formatted according to version 02 of the CDM-SSC-PDD and was based on the proposed baseline and monitoring methodology AMS-III.E. A revised version of the PDD dated 01 March 2007 /2/ was submitted by Mitsubishi Securities in order to properly address DNV's validation findings and assessed by DNV Finally, a version 3.1 dated 22 August 2007 was submitted by Mitsubishi Securities and subsequently assessed by DNV. /3/

Additional documents such as the emission reductions calculations /4/, environmental licences /5/ and the letters sent to local stakeholders /6/ were assessed during the validation process.

2.2 Follow-up Interviews

On 20-23 November 2006, DNV performed the site visit and interviews with project stakeholders to confirm selected information and to resolve issues identified in the document review. Representatives of Mitsubishi were interviewed. The main topics of the interviews are summarised in Table 1.

Interviewed organisation	Interview topics		
Mitsubishi	 Environment licenses and legal compliance; 		
	 Local Stakeholders consultation process; 		
	Installed equipments;		
	Additionality of the project;		
	 Baseline emission calculations; 		
	Emission factor calculation		

Table 1 Interview topics

2.3 Resolution of Clarification and Corrective Action Requests

The objective of this phase of the validation was to resolve any outstanding issues which needed to be clarified for DNV's positive conclusion on the project design.

The initial validation of the project identified 13 (thirteen) requests for *clarification*. The project participant's response to DNV's draft validation report findings and the final version of the PDD of 22 August 2007 addressed the requests for *clarification* to DNV's satisfaction.

To guarantee the transparency of the validation process, the concerns raised are summarised in chapter 3 below and documented in more detail in the validation protocol in Appendix A.

2.4 Internal Quality Control

The draft validation report including the initial validation findings underwent a technical review before being submitted to the project participants. The final validation report underwent another technical review before requesting registration of the project activity. The technical review was performed by a technical reviewer qualified in accordance with DNV's qualification scheme for CDM validation and verification.



VALIDATION REPORT

3 VALIDATION FINDINGS

The findings of the validation of the GEEA-SBS Biomass Treatment Project in Alegrete, Rio Grande do Sul, Brazil are stated in the following sections. The validation criteria (requirements), the means of verification and the results from validating the identified criteria are documented in more detail in the validation protocol in Appendix A.

The validation findings relate to the project design as documented and described in the PDD of 22 August 2007. /3/

3.1 Participation Requirements

The project participants are Geradora de Energia Elétrica Alegrete Ltd., Sílica Brasil Sul Ltda. and Mitsubishi UFJ Securities Co. Ltd. The participating Parties – Brazil as host Party and Japan as Annex I Party - meet all relevant participation requirements and have provided written approval of voluntary participation in the project /6/ /7/.

3.2 Project Design

The project activity consists in installing a biomass treatment plant adjacent to Pilecco Rice Mill. The technology used in the project activity was developed by the PROBEM. The rice husk is supplied by Pilecco Rice Mill and by other external sources. The biomass will be transported in trucks adapted with a compactor. Part of the rice husk passes by a chemical reactor where the cellulignin is separated. The direct calcination of the cellulign generates white silica. The other part of the rice husk is directly fired in the boiler and produce grate silica. There are no combustion residues and all material produced in boilers and calcinators are commercialized as products.

The amount of biomass supplied by external sources will be measured with a stationary scale at the entrance of the industry complex. The amount supplied by Pilecco Rice Mill will be measured by a scale located at the conveyor and the amount of rice husks used in the project will be measured with a scale in the system's entrance.

The electricity consumption will be supplied by the grid in the first year of operation and by the GEEA biomass power plant from the second year.

A fixed 10-year crediting period is selected, starting on 01 July 2007. The starting date of the project activity is 05 May 2006. The expected operational lifetime of the project is 25 years.

No public funding is involved, and the validation did not reveal any information that indicates that the project can be seen as a diversion of ODA funding towards.

The project is expected to bring increase in employment opportunities, decrease environment impacts, use of clean technologies and conserve natural resources, thus contributing to the sustainable development objectives of the Brazilian Government. The DNA of Brazil has confirmed that the project assists in achieving sustainable development /6/.

The project participant has provided sufficient information about main equipments that are being installed in the project plant and are related with the CDM project activity.



VALIDATION REPORT

3.3 Baseline Determination

The project correctly applies simplified baseline methodology for selected small-scale CDM project activity AMS-III.E (Version 10 of 23 December 2006) - "Avoidance of methane production from *biomass decay through controlled combustion*" for Type III – *Other Project Activities* as outlined in the "Appendix B of the "Simplified modalities and procedures for small-scale CDM project activities" - Indicative simplified baseline and monitoring methodologies for selected small-scale CDM project activities and Decision 17/CP.7. The project fulfils the conditions under which AMS-III.E is applicable. The annual emission reduction is approximately 19 223 tonnes of CO₂ equivalent, which is less than the 60 kt CO₂e/y methodology threshold.

The project activity presents four kind of scenarios based on the currents local practices.

Scenario 1: Disposal in open air

Scenario 2: Open-air burning

Scenario 3: The project without the CDM

Scenario 4: Biomass treatment (the project)

Disposal the biomass residue in open air landfills is presented as a common practice of Pilecco Rice Mill and several other mills in south region of Brazil. There is no regulation that constrains this practice.

Disposal of rice husk by burning it in the open air is not common practice in Rio Grande do Sul State. This scenario is unlikely due to the State regulation that does not allow open air burning without permission. As the project developers are concerned about the environment and about their own image, they have not requested authorization for open-air burning; but even if they did it is not likely that they would obtain the authorization.

The project activity will not be implemented without the CDM incentives as there are no sufficient legal or economic incentives to install a biomass treatment plant.

The methodology application firstly involves an identification of possible baseline scenarios, and eliminating those that would not qualify. As a result the only feasible baseline is a continuation of the status quo, which meets current regulations, and requires neither additional investments nor additional running costs. Therefore the continuation of the current situation can be selected as the relevant and only baseline scenario.

The baseline emissions are the amount of methane from the decay of the biomass content of the waste treated in the project activity. The yearly methane generation potential is calculated using the First Order Decay model based on the discrete time estimate method of the IPCC Guidelines as described in AMS-III.G (Version 4 of 23 December 2006) and the "Tool to determine methane emissions avoided from dumping waste at a solid waste disposal site".

The MCF factor considered is 0.8 based on the IPCC default for unmanaged deep waste disposal sites with depths greater than or equal to 5 meters. This was checked during the follow up interview and this factor was deemed appropriate for the estimations.

The project boundary is defined as the physical, geographical site where the treatment of biomass takes place. In accordance with AMS-III.E, the project boundary includes the physical, geographical sites:



VALIDATION REPORT

-Where the solid waste would have been disposed and the avoided methane emission occurs;

-Where the treatment of biomass through controlled combustion takes place;

-Where the transportation of waste and combustion residues occurs and in the itineraries between them.

3.4 Additionality

The additionality of the project is demonstrated, through an analysis of barriers, by applying the Attachment A to the Appendix B of the simplified modalities and procedures for CDM small-scale project activities.

(a) Investment barriers: Although it is known that the high quality silica resulted from the chemical treatment has a higher commercial value, thus potentially increasing activity revenues; the project scenario implies an investment barrier due to the increased costs required to implement a plant to treat residual biomass that would not be presented in the baseline scenario. An investment analysis considering all savings and expenses associated to the project was not presented.

(b) *Technological barriers*: DNV is able to confirm that the chemical and thermal treatment of rice husk does not represent any common practice in Brazil. In addition, the production of silica of higher grade itself is a new industry practice in the region.

(c) Prevailing business practice barriers: DNV is able to confirm that the industrial residues, as rice husks, have been left to decay under anaerobic conditions in a solid waste disposal site without any methane recovery.

No other barriers are presented. Given the above technological and prevailing practice barriers the project faces, it is sufficiently demonstrated that the project is not a likely baseline scenario, and emission reductions form the project can be considered additional.

3.5 Monitoring Plan

The project applies the approved monitoring methodology AMS-III.E (Version 10 of 23 December 2006) - "Avoidance of methane production from biomass decay through controlled combustion" for Type III – Other Project Activities, according to the "Appendix B of the "Simplified modalities and procedures for small-scale CDM project activities" - Indicative simplified baseline and monitoring methodologies for selected small-scale CDM project activities. The project also applies the monitoring methodologies AMS-III.G (Version 4 of 23 December 2006), AMS-I.D (Version 10 of 23 December 2006) and ACM0002 (Version 06, 19 May 2006).

The main parameters to monitor are the amount of biomass combusted, the composition of the biomass through representative sampling, the average truck capacity, the power consumption and the distance for transporting the waste in baseline and the project scenario.

The project participants will demonstrate annually that the amount of waste combusted in the project activity facilities would have been disposed in a solid waste disposal site without methane recovery in the absence of the project activity.

Concerning leakage, no sources of emission were identified according to AMS-III.E.



VALIDATION REPORT

Detailed monitoring procedures, including responsibilities for project management, procedures for QA/QC of monitoring reports, frequency and calibration are described.

The monitoring management system and training are clearly established in the PDD.

The procedures for emergency preparedness for cases where emergencies can cause unintended emissions have not been identified in monitoring plan. It was observed that there is no unintended emission. All the processes are controlled.

3.6 Calculation of GHG Emissions

The baseline calculations are according to the simplified methodology for category III.E small-scale CDM project activities.

The Yearly Methane Generation Potential is calculated using the first order decay model based on the discrete time estimate method of the IPCC Guidelines, as described in category AMS-III.G.

The methane avoidance was determined using IPCC default MCF for unmanaged, deep (> 5 m waste) landfills of 0.8, a DOC of 0.43 for wood and wood products and a IPCC default DOCf of 0.5. The value adopted for k is 0.03 and for f is zero. As the site does not receive soil as cover, the OX is zero. The selection of these factors is deemed reasonable.

Project activity emissions are calculated according to the simplified baseline methodology for category III.E small-scale CDM project activities. The emissions consist in sum of CO_2 emissions through combustion of non-biomass carbon in the year "y", CO_2 emissions through incremental transportation in the year "y" and CO_2 emissions through electricity or diesel consumption in the year "y".

Since only biomass will be combusted, CO₂ emissions from combustion are zero.

Emissions resulting from the transportation of the biomass are accounted for, and correspond to the transport itself and the compacting process. There are no combustion residues.

The calculations of project emissions related to the electricity consumption are established according to paragraph 9, option (a), A MS-I.D v.10, of the combined margin (CM), consisting of the combination of operating margin (OM) and build margin (BM). According to the procedures prescribed in the approved methodology ACM0002. For the calculation of the OM, option (b) simple adjusted OM was utilized. Besides, Option (1) was selected in order to calculate the BM emission factor EFBM ex-ante. The values calculated for build margin (BM) and operating margin (OM) is 0.0872 tCO_{2equiv}/MWh and 0. 4349 tCO_{2equiv}/MWh, respectively. The emission factor is 0.2611 tCO₂/MWh. The calculations are based on the National Electricity System Operator (ONS) for the electricity generated in the South-Southeast-Midwest grid in the years 2003-2005.

The PDD estimated amount of GHG emission reductions from the project is 192 229 tCO₂e during the first crediting period (10 years), resulting in estimated average annual emission reductions of 19 223 tCO₂e.

A spreadsheet used for the calculation of the emission reductions was assessed by DNV and it is found to be correct.



VALIDATION REPORT

3.7 Environmental Impacts

GEAA has been granted the Operating License # 86/2006-DL, in 09 February 2006 issued by FEPAM (State Environmental Protection Foundation) and valid until 25 October 2010 for the project and its facilities. A copy of the environmental license were sent and assessed.

In order to obtain the license, the project developers showed evidence that no negative environmental impact is incurred by this activity.

Environment licenses are issued after all possible impacts are analyzed by the State Environmental Foundation Protection, FEPAM. No adverse environmental impacts are identified, which seems reasonable given the nature of the project design. Transboundary environmental impacts are not foreseen.

The positive environment impacts arising from the project are the reduction in dumping of rice husk and of methane.

3.8 Comments by Local Stakeholders

Local stakeholders, such as the Municipal Government, the state and municipal agencies, the Brazilian forum of NGOs, neighbouring communities and the office of the attorney general, were invited to comment on the project, in accordance with the requirements of Resolution 1 of the Brazilian DNA.

The local stakeholders are listed in the Appendix 3 of the PDD. The letters sent to the local stakeholders and the received comments were assessed.

Twelve comments were received, however due contend (commendation) the project design did not require any significant modification. Two comments requesting more information about the project were sufficiently taken into account by the project participant.

4 COMMENTS BY PARTIES, STAKEHOLDERS AND NGOS

The PDD of 26 December 2006 was published on the UNFCCC CDM website, www.dnv.com/certification/ClimateChange, and Parties, stakeholders and NGOs were invited to provide comments on the validation requirement during a period of 30 days, from 28 December 2006 to 26 January 2007. No comments were received.



VALIDATION REPORT

5 VALIDATION OPINION

Det Norske Veritas Certification AS. (DNV) has performed a validation of the "GEEA-SBS Biomass Treatment Project in Alegrete, Rio Grande do Sul, Brazil" in Brazil. The validation was performed on the basis of UNFCCC criteria for the Clean Development Mechanism and host country criteria, as well as criteria given to provide for consistent project operations, monitoring and reporting.

The project participants are Geradora de Energia Elétrica Alegrete Ltd., Sílica Brasil Sul Ltda. and Mitsubishi UFJ Securities Co. Ltd.. The participating Parties – Brazil as host Party and Japan as Annex I Party - meet all relevant participation requirements and have provided written approval of voluntary participation in the project.

The "GEEA-SBS Biomass Treatment Project" CDM project activity consists in installing a biomass treatment plant adjacent to Pilecco Rice Mill in the Alegrete City, Rio Grande do Sul State, Brazil. This project aims to reduce GHG emissions (methane emissions) by avoiding the decay of rice husk. Risk husk will instead be used to produce higher quality of silica by the chemical and thermal treatment of risk husk.

The project applies the simplified baseline methodology for selected small-scale CDM project activity categories, category "III.E – "Avoidance of methane production from biomass decay through controlled combustion"". The baseline methodology has been correctly applied and the assumptions made for the selected baseline scenario are sound. It is sufficiently demonstrated that the project is not a likely baseline scenario and that emission reductions attributable to the project are additional to any that would occur in the absence of the project activity.

The monitoring methodology has been correctly applied. The monitoring plan sufficiently specifies the monitoring requirements.

By the using of a renewable energy source, the project results in reductions of CO_2 emissions that give long-term benefits to the mitigation of climate change. Emission reductions are directly monitored and calculated ex-post, through of fuel oil consumption, and using the approach indicated in AMS-III.E.

Local stakeholders, such as the Municipal Government, the state and municipal agencies, the Brazilian forum of NGOs, neighbouring communities and the office of the attorney general, were invited to comment on the project, in accordance with the requirements of Resolution 1 of the Brazilian DNA. Twelve comments were received.

In summary, it is DNV's opinion that the GEEA-SBS Biomass Treatment Project in Alegrete, Rio Grande do Sul, Brazil, as described in the revised and resubmitted project design document of 22 August 2007 meets all relevant UNFCCC requirements for the CDM and all relevant host country criteria and correctly applies the baseline and monitoring methodology AMS-III.E (Version 10 of 23 December 2006). Hence, DNV will request the registration of the GEEA-SBS Biomass Treatment Project in Alegrete, Rio Grande do Sul, Brazil as a CDM project activity.





REFERENCES

Documents provided by the project proponent that relate directly to the project:

- /1/ Project Design Document for the "GEEA-SBS Biomass Treatment Project in Alegrete, Rio Grande do Sul, Brazil" – Version 2 of 26 December 2006.
- Project Design Document for the "GEEA-SBS Biomass Treatment Project in Alegrete, Rio Grande do Sul, Brazil" – Version 3 of 01 March 2007.
- /3/ Project Design Document for the "GEEA-SBS Biomass Treatment Project in Alegrete, Rio Grande do Sul, Brazil" – Version 3.1 of 22 August 2007.
- /4/ Spreadsheet (Pilecco_PDD_biomasstreatment 090207.xls)
- /5/ Mitsubishi Operation License # 86/2006-DL issued on 9 February 2006.
- /6/ Mitsubishi Copy of letters sent to local stakeholders.
- /7/ Comissão Interministerial de Mudança Global do Clima (DNA of Brazil): Letter of Approval. 22 June 2007
- /8/ Liaison Committee for the Utilization of the Kyoto Mechanisms (DNA of Japan): Letter of Approval. 12 April 2007

Background documents related to the design and/or methodologies employed in the design or other reference documents:

- /9/ International Emission Trading Association (IETA) & the World Bank's Prototype Carbon Fund (PCF): *Validation and Verification Manual*. <u>http://www.vvmanual.info</u>
- /10/ "Appendix B of the "Simplified modalities and procedures for small-scale CDM project activities" - Indicative simplified baseline and monitoring methodologies for selected small-scale CDM project activities: AMS-III.E – "Avoidance of methane production from biomass decay through controlled combustion" for Type III – Other Project Activities. Version 10 of 23 December 2006.
- '11/ "Appendix B of the "Simplified modalities and procedures for small-scale CDM project activities" Indicative simplified baseline and monitoring methodologies for selected small-scale CDM project activities: AMS-III.G "Landfill methane recovery" for Type III Other Project Activities. Version 4 of 23 December 2006.
- /12/ "Tool to determine methane emissions avoided from dumping waste at a solid waste disposal site". Annex 14.
- /13/ Attachment A to the "Appendix B of the "Simplified modalities and procedures for small-scale CDM project activities" - Indicative simplified baseline and monitoring methodologies for selected small-scale CDM project activities. Version 06 of September 2005.
- /14/ "Appendix B of the "Simplified modalities and procedures for small-scale CDM project activities" - Indicative simplified baseline and monitoring methodologies for selected small-scale CDM project activities: AMS-I.D – "Grid connected renewable electricity generation" for Type I –Renewable Energy Projects. Version 10 of 23 December 2006.



VALIDATION REPORT

/15/ UNFCCC. "ACM0002 - Consolidated baseline methodology for grid-connected electricity generation from renewable sources". Version 06, 19 May 2006.

Persons interviewed during the validation, or persons who contributed with other information that are not included in the documents listed above:

/16/ Mara Regina Mendes - Mitsubishi UFJ Securities Co. Ltd.

- 000 -

APPENDIX A

VALIDATION PROTOCOL FOR SMALL-SCALE CDM PROJECT ACTIVITIES

Table 1 Mandatory Requirements for Small Scale Clean Development Mechanism (CDM) Project Activities

			Cross Reference/
Requirement	Reference	Conclusion	Comment
 The project shall assist Parties included in Annex I in achieving compliance with part of their emission reduction commitment under Art. 3 	Kyoto Protocol Art. 12.2	ОК	Table 2, Section E.4.1. The PDD identifies Mitsubishi UFJ Securities Co. Ltd. (Japan) as Annex I project participants.
 The project shall assist non-Annex I Parties in achieving sustainable development and shall have obtained confirmation by the host country thereof 	Kyoto Protocol Art. 12.2, Simplified Modalities and Procedures for Small Scale CDM Project Activities §23a	ОК	Table 2, Section A.3.
3. The project shall assist non-Annex I Parties in contributing to the ultimate objective of the UNFCCC	Kyoto Protocol Art. 12.2.	OK	Table 2, Section E.4.1
 The project shall have the written approval of voluntal participation from the designated national authority of each party involved 	y Kyoto Protocol Art. 12.5a, Simplified Modalities and Procedures for Small Scale CDM Project Activities §23a	ОК	DNA of Brazil: Letter of Approval. 22 June 2007 DNA of Japan: Letter of Approval. 12 April 2007
5. The emission reductions should be real, measurable and give long-term benefits related to the mitigation o climate change	Kyoto Protocol Art. 12.5b	OK	Table 2, Section E.1 to E.4
6. Reduction in GHG emissions must be additional to ar that would occur in absence of the project activity, i.e. a CDM project activity is additional if anthropogenic emissions of greenhouse gases by sources are reduced below those that would have occurred in the absence of the registered CDM project activity	y Kyoto Protocol Art. 12.5.c, Simplified Modalities and Procedures for Small Scale CDM Project Activities §26	ОК	Table 2, Section B.2.1
7. In case public funding from Parties included in Annex is used for the project activity, these Parties shall	I Decision 17/CP.7, CDM Modalities and	OK	No public funding is involved, and the validation did not reveal any

GEEA-SBS Biomass Treatment Project in ALEGRETE, RIO GRANDE DO SUL, BRAZIL

			Cross Reference/
Requirement	Reference	Conclusion	Comment
provide an affirmation that such funding does not result in a diversion of official development assistance and is separate from and is not counted towards the financial obligations of these Parties.	Procedures Appendix B, § 2		information that indicates that the project can be seen as a diversion of ODA funding towards Brazil.
8. Parties participating in the CDM shall designate a national authority for the CDM	CDM Modalities and Procedures § 29	OK	Brazil : Comissão Interministerial de Mudança Global do Clima.
			Japan: Liaisons committee for the Utilization of the Kyoto Mechanisms.
 The host Party and the participating Annex I Party shall be a Party to the Kyoto Protocol 	CDM Modalities and Procedures § 30, 31b	OK	Brazil ratified the protocol on 23 August 2002, and Japan ratified the protocol on 04 June 2002.
10. The participating Annex I Party's assigned amount shall have been calculated and recorded	CDM Modalities and Procedures §31b	OK	The assigned amount of Japan is 94% of the 1990 emissions.
11. The participating Annex I Party shall have in place a national system for estimating GHG emissions and a national registry in accordance with Kyoto Protocol Article 5 and 7	CDM Modalities and Procedures §31b	ОК	Japan has in place a national registry and reported in May 2005 the latest inventory for the years 1990-2003.
 12. The proposed project activity shall meet the eligibility criteria for small scale CDM project activities set out in § 6 (c) of the Marrakesh Accords and shall not be a debundled component of a larger project activity 	Simplified Modalities and Procedures for Small Scale CDM Project Activities §12a,c	ОК	Table 2, Section A.1
13. The project design document shall conform with the Small Scale CDM Project Design Document format	Simplified Modalities and Procedures for Small Scale CDM Project Activities, Appendix A	ОК	The PDD is in line with the CDM-PDD for small-scale CDM project activities (version 02 of 21 March 2006).
14. The proposed project activity shall confirm to one of the project categories defined for small scale CDM project activities and uses the simplified baseline and monitoring methodology for that project category	Simplified Modalities and Procedures for Small Scale CDM Project Activities §22e	ОК	Table 2, Section A.1.3, B and D.

GEEA-SBS Biomass Treatment Project in ALEGRETE, RIO GRANDE DO SUL, BRAZIL

			Cross Reference/
Requirement	Reference	Conclusion	Comment
15. Comments by local stakeholders are invited, and a summary of these provided	Simplified Modalities and Procedures for Small Scale CDM Project Activities §22b	ОК	Table 2, Section G.
 If required by the host country, an analysis of the environmental impacts of the project activity is carried out and documented 	Simplified Modalities and Procedures for Small Scale CDM Project Activities §22c		Table 2, Section F.
17. Parties, stakeholders and UNFCCC accredited NGOs have been invited to comment on the validation requirements and comments have been made publicly available	Simplified Modalities and Procedures for Small Scale CDM Project Activities §23b,c,d	OK	The PDD of 26 December 2006 was published on the UNFCCC CDM website, <u>www.dnv.com/certification/ClimateCha</u> <u>nge</u> , and Parties, stakeholders and NGOs were invited to provide comments on the validation requirement during a period of 30 days, from 28 December 2006 to 26 January 2007.

Table 2Requirements Checklist

				Draft	Final
Checklist Question	Ref.	MoV*	Comments	Concl.	Concl.
A. Project Description The project design is assessed.					
A.1. Small scale project activity It is assess whether the project qualifies as small scale CDM project activity.					
A.1.1. Does the project qualify as a small scale CDM project activity as defined in paragraph 6 (c) of decision 17/CP.7 on the modalities and procedures for the CDM?	/1/	DR	The project avoids methane emissions from rice husks through controlled combustion with an emission reduction (19 223 kt CO ₂) of less than 60 kt CO ₂ and is thus eligible as type III.E small-scale CDM project activity "Avoidance of methane production from biomass decay through controlled combustion"/Type III – Other Project Activities) as outlined in the "Appendix B of the "Simplified modalities and procedures for small-scale CDM project activities" - Indicative simplified baseline and monitoring methodologies for selected small- scale CDM project activities and Decision 17/CP.7.		OK
A.1.2. The small scale project activity is not a debundled component of a larger project activity?	/1/	DR	The project is not a debundling component of a large project activity. Although GEEA is planning another CDM project which biomass power generation using rice husk as fuel, the project participants, project category and technology are different.		ОК
A.1.3. Does proposed project activity confirm to one of the project categories defined for small scale CDM project activities?	/1/	DR	Yes. The project activity is included in the Type III – Other Project Activities, AMS-III.E - "Avoidance of methane production from biomass decay through controlled combustion".		OK

GEEA-SBS Biomass Treatment Project in ALEGRETE, RIO GRANDE DO SUL, BRAZIL

	Def	NA - 1/+		Draft	Final
Checklist Question	Ref.	IVIO V "	Comments	Conci.	Conci.
A.2. Project Design Validation of project design focuses on the choice of technology and the design documentation of the project.					
A.2.1. Are the project's spatial (geographical) boundaries clearly defined?	/1/	DR	Yes. The project is located in the municipality of Alegrete, Rio Grande do Sul State, Brazil.	CL 7	OK
			The project boundary is not stated in the item 8 of AMS-III.E (Version 10 of 23 December 2006) as reported in the PDD and there are only three points in this item, not four.		
A.2.2. Are the project's system (components and facilities used to mitigate GHG's) boundaries clearly defined?	/1/	DR	The project will avoid emissions by means of using the biomass that would be left for decay in opened air. The project participant should provide more information about main equipments that are being installed in the project plant and are related with the CDM.	CL-3	ОК
A.2.3. Does the project design engineering reflect current good practices?	/1/	DR	Yes. The technology of chemical treatment prior thermal treatment of rice husk reflects current good practices. However, the production of silica is a pioneer effort.		ОК
A.2.4. Will the project result in technology transfer to the host country?	/1/	DR	The technology has been already transferred to Brazil since it was developed by the PROBEM, a Brazilian company, subsidiary of RM Materiais Refratários Ltda.		ОК
A.2.5. Does the project require extensive initial training and maintenance efforts in order to work as presumed during the project	/1/	DR	The training program for the works will cover basic plant operations, safety and engineering; fundamentals of biomass chemical and thermal		OK

Checklist Question	Ref.	MoV*	Comments	Draft Concl.	Final Concl.
period? Does the project make provisions for meeting training and maintenance needs?			treatment operations, environmental management and awareness, wastewater and water treatment operations, process engineering and control systems and fire safety and evacuation.		
A.3. Contribution to Sustainable Development The project's contribution to sustainable development is assessed					
A.3.1. Will the project create other environmental or social benefits than GHG emission reductions?	/1/	DR	Yes. It helps prevent the open sky burning of waste from the processing of agricultural products.		OK.
A.3.2. Will the project create any adverse environmental or social effects?	/1/	DR	No.		OK
A.3.3. Is the project in line with sustainable development policies of the host country?	/1/	DR	The DNA of Brazil confirmed that the project assists in achieving sustainable development.		OK
A.3.4. Is the project in line with relevant legislation and plans in the host country?	/1/	DR	GEAA has been granted the Operating License # 86/2006-DL, in 09 February 2006 issued by FEPAM (State Environmental Protection Foundation) and valid until 25 October 2010 for the project and its facilities.		ОК
			In order to obtain the license, the project developers showed evidence that no negative environmental impact is incurred by this activity.		
			Environment Licenses are issued after all possible impacts are analyzed by the State Environmental Foundation Protection, FEPAM. No adverse environmental impacts are identified, which seems reasonable given the nature of the project design. Transboundary environmental impacts are not foreseen. The positive environment impacts arising		

				Draft	Final
Checklist Question	Ref.	MoV*	Comments	Concl.	Concl.
			rice husk and of methane.		
B. Project Baseline					
The validation of the project baseline establishes whether the selected baseline methodology is appropriate and whether the selected baseline represents a likely baseline scenario.					
B.1. Baseline Methodology					
It is assessed whether the project applies an appropriate baseline methodology.					
B.1.1. Is the selected baseline methodology in	/1/	DR	The project applies the simplified baseline	CL 6	OK
line with the baseline methodologies provided for the relevant project category?			methodology for type III.E small-scale CDM project activities (AMS-III.E, Version 10 of 23 December 2006), i.e. the methane emissions from biomass that would have otherwise been left to decay.	CL 10	
			The project also applies the methodologies AMS-III.G, AMS-I.D and ACM0002 and the "Tool to determine methane emissions avoided from dumping waste at a solid waste disposal site".		
			However, the methodology AMS-III.G and the "Tool to determine methane emissions avoided from dumping waste at a solid waste disposal site" were not addressed in the item " <i>B.1. Title and reference of the approved baseline and monitoring methodology applied to the small-scale project activity</i> " of the PDD.		
			Also, the methodology AMS-I.D and the ACM0002 were not addressed in the item "B.1. Title and reference of the approved baseline and monitoring		

Checklist Question	Ref.	MoV*	Comments	Draft Concl.	Final Concl.
			methodology applied to the small-scale project activity" of the PDD.		
B.1.2. Is the baseline methodology applicable to the project being considered?	/1/	DR	The category III.E methodology is applicable for the project.	CL-4	OK
			The PDD reports some applicability criteria that do not correspond to the last version of AMS-III.E.		
B.2. Baseline Determination					
It is assessed whether the project activity itself is not a likely baseline scenario and whether the selected baseline represents a likely baseline scenario.					
B.2.1. Is it demonstrated that the project activity itself is not a likely baseline scenario due to the existence of one or more of the following barriers: investment barriers, technology barriers, barriers due to prevailing practice or other barriers?	/1/	DR	The additionality of the project is demonstrated, through an analysis of barriers, by applying the Attachment A to the Appendix B of the simplified modalities and procedures for CDM small-scale project activities.		ОК
			(a) Investment barriers: Although it is known that the high quality silica resulted from the chemical treatment has a higher commercial value, thus potentially increasing activity revenues; DNV is able to confirm that high costs associated to the construction of a plant to treat residual biomass do represent an investment barrier.		
			(b) Technological barriers: DNV is able to confirm that the chemical and thermal treatment of rice husk is not common practice in Brazil. In addition, the production of silica of higher grade itself is a new industry practice in the region.		

GEEA-SBS Biomass Treatment Project in ALEGRETE, RIO GRANDE DO SUL, BRAZIL

				Draft	Final
Checklist Question	Ref.	MoV*	Comments	Concl.	Concl.
			able to confirm that the industrial residues, as rice husks, have been left to decay under anaerobic conditions in a solid waste disposal site without any methane recovery.		
			Given the above investment, technological and prevailing practice barriers the project faces, it is sufficiently demonstrated that the project is not a likely baseline scenario. No other barriers are presented.		
B.2.2. Is the application of the baseline methodology and the discussion and determination of the chosen baseline transparent and conservative?	/1/	DR	Yes, the selected baseline for the methane avoidance component is the CH4 emissions from disposing the solid waste on a landfill and leaving it to decay.		ОК
B.2.3. Are relevant national and/or sectoral policies and circumstances taken into account?	/1/	DR	For methane avoidance no policy is established with respect to controlled biomass burning.		OK
B.2.4. Is the baseline selection compatible with the available data?	/1/	DR	Yes.		OK
B.2.5. Does the selected baseline represent the most likely scenario describing what would have occurred in absence of the project	/1/	DR	Yes. In the absence of the project the rice husk is disposed in landfill sites until it is naturally decomposed.	CL 5	ОК
activity?			The project participant should provide information why they do not request permission to burn the biomass residues		
C. Duration of the Project / Crediting Period					
It is assessed whether the temporary boundaries of the project are clearly defined.					
C.1.1. Are the project's starting date and operational lifetime clearly defined?	/1/	DR	The project's starting date is 05 May 2006 with an expected operational lifetime of 25 years.	CL 1	ОК

Checklist Question	Ref	MoV*	Comments	Draft Concl	Final Concl
			Comments	Conten.	001101.
C.1.2. Is the assumed crediting time clearly defined (renewable crediting period of seven years with two possible renewals or fixed crediting period of 10 years with no renewal)?	/1/	DR	A fix 10-year crediting period is selected, starting on 01 July 2007.	CL-1	OK
D. Monitoring Plan					
The monitoring plan review aims to establish whether all relevant project aspects deemed necessary to monitor and report reliable emission reductions are properly addressed.					
D.1. Monitoring Methodology					
It is assessed whether the project applies an appropriate monitoring methodology.					
D.1.1. Is the selected monitoring methodology in line with the monitoring methodologies provided for the relevant project category?	/1/	DR	Yes. The project applies the approved monitoring methodology AMS-III.E (Version 10 of 23 December 2006) - "Avoidance of methane production from biomass decay through controlled combustion" for Type III – Other Project Activities, according to the "Appendix B of the "Simplified modalities and procedures for small-scale CDM project activities" - Indicative simplified baseline and monitoring methodologies for selected small- scale CDM project activities. The project also applies the monitoring methodologies AMS-III.G (Version 4 of 23 December 2006) AMS-I D (Version 10 of 23		ОК
			December 2006), AMS-I.D (Version 10 of 23 December 2006) and ACM0002 (Version 06, 19 May 2006).		

GEEA-SBS Biomass Treatment Project in ALEGRETE, RIO GRANDE DO SUL, BRAZIL

				Draft	Final
Checklist Question	Ref.	MoV*	Comments	Concl.	Concl.
D.1.2. Is the monitoring methodology applicable to the project being considered?	/1/	DR	Yes, it complies with the monitoring requirements for small scale CDM project category III.E. However, the amount of the biomass combusted in the project activity is calculated instead of measured as requested in the methodology.	CL-8	ОК
D.1.3. Is the application of the monitoring methodology transparent?	/1/	DR	See D.1.2	CL 8	ОК
D.1.4. Will the monitoring methodology give opportunity for real measurements of achieved emission reductions?	/1/	DR	See D.1.2	CL 8	ОК
D.2. Monitoring of Project Emissions					
It is established whether the monitoring plan provides for reliable and complete project emission data over time.					
D.2.1. Does the monitoring plan provide for the collection and archiving of all relevant data necessary for estimation or measuring the greenhouse gas emissions within the project boundary during the crediting period?	/1/		See D.1.2.	CL-8	ОК
D.2.2. Are the choices of project GHG indicators reasonable?	/1/	DR	See D.1.2.	CL-8	OK
D.2.3. Will it be possible to monitor / measure the specified project GHG indicators?	/1/	DR	The biomass consumed by the project can be easily monitored. See D.1.2.	CL-8	OK
D.2.4. Will the indicators give opportunity for real measurements of project emissions?	/1/	DR	The PDD is clear about the monitoring practices.		OK

GEEA-SBS Biomass Treatment Project in ALEGRETE, RIO GRANDE DO SUL, BRAZIL

	Def	NA - 1/4	0	Draft	Final
D.3. Monitoring of Leakage If applicable, it is assessed whether the monitoring plan provides for reliable and complete leakage data over time.	Ref.	INOV*	Comments	Conci.	Conci.
D.3.1. Does the monitoring plan provide for the collection and archiving of all relevant data necessary for determining leakage?	/1/		If the controlled combustion technology is equipment transferred from another activity or if the existing equipment is transferred to another activity, AMS-III.E states that leakage is to be considered. The project will be implemented with new equipment. Hence, no leakage is expected.		ОК
D.3.2. Are the choices of leakage indicators reasonable?	/1/	DR	See D.3.1		OK
D.3.3. Will it be possible to monitor / measure the specified leakage indicators?	/1/	DR	See D.3.1		OK
D.3.4. Will the indicators give opportunity for real measurements of leakage effects?	/1/	DR	See D.3.1		OK
D.4. Monitoring of Baseline Emissions					
It is established whether the monitoring plan provides for reliable and complete project emission data over time.					
D.4.1. Does the monitoring plan provide for the collection and archiving of all relevant data necessary for determining baseline emissions during the crediting period?	/1/		See D.1.2	CL-8	ОК
D.4.2. Is the choice of baseline indicators, in particular for baseline emissions, reasonable?	/1/	DR	Methane avoidance is simply calculated based on amount biomass used as combustible. See D.1.2	CL 8	ОК

GEEA-SBS Biomass Treatment Project in ALEGRETE, RIO GRANDE DO SUL, BRAZIL

	D (Draft	Final
	Ref.		Comments		Conci.
D.4.3. Will it be possible to monitor / measure the specified baseline indicators?	/1/	DR	See D.1.2.		OK
D.4.4. Will the indicators give opportunity for real measurements of baseline emissions?	/1/	DR	See D.1.2.	CL-8	ОК
D.5. Project Management Planning					
It is checked that project implementation is properly prepared for and that critical arrangements are addressed.					
D.5.1. Is the authority and responsibility of project management clearly described?	/1/	DR	Yes.		OK
D.5.2. Is the authority and responsibility for registration monitoring measurement and reporting clearly described?	/1/	DR	Yes.		ОК
D.5.3. Are procedures identified for training of monitoring personnel?	/1/	DR	Yes.		OK
D.5.4. Are procedures identified for emergency preparedness for cases where emergencies can cause unintended emissions?	/1/	DR	The procedures for emergency preparedness for cases where emergencies can cause unintended emissions have not been identified in monitoring plan. DNV requests further clarifications about the procedures.	CL 13	ОК
D.5.5. Are procedures identified for calibration of monitoring equipment?	/1/	DR	All equipment is calibrated. This mainly comprises the scales, which are calibrated according to the national standards.		ОК
D.5.6. Are procedures identified for maintenance of monitoring equipment and installations?	/1/	DR	Yes. Maintenance of the equipments will be carried out according to the national standards.		OK
D.5.7. Are procedures identified for monitoring, measurements and reporting?	/1/	DR	Yes.		ОК
D.5.8. Are procedures identified for day-to-day	/1/	DR	The data will be collected continuously and		OK

GEEA-SBS Biomass Treatment Project in ALEGRETE, RIO GRANDE DO SUL, BRAZIL

Checklist Question	Ref	MoV*	Comments	Draft Concl	Final Concl
records handling (including what records to keep, storage area of records and how to process performance documentation)	Ron		archived in electronic form, during the whole crediting period plus 2 years.	Conton	
D.5.9. Are procedures identified for dealing with possible monitoring data adjustments and uncertainties?	/1/	DR	No uncertainties are foreseen.		OK
D.5.10. Are procedures identified for internal audits of GHG project compliance with operational requirements as applicable?	/1/	DR	Yes.		OK
D.5.11. Are procedures identified for project performance reviews?	/1/	DR	Yes		OK
D.5.12. Are procedures identified for corrective actions?	/1/	DR	Yes.		OK
<i>E.</i> Calculation of GHG emission It is assessed whether all material GHG emission sources are addressed and how sensitivities and data uncertainties have been addressed to arrive at conservative estimates of projected emission reductions.					
E.1. Project GHG Emissions The validation of ex-ante estimated project GHG emissions focuses on transparency and completeness of calculations.					
E.1.1. Are all aspects related to direct and indirect project emissions captured in the project design?	/1/	DR	Yes. The emissions consist in sum of CO_2 emissions through combustion of non-biomass carbon in the year "y", CO_2 emissions through incremental transportation in the year "y" and CO_2 emissions through electricity or diesel consumption in the year "y".		ОК

GEEA-SBS Biomass Treatment Project in ALEGRETE, RIO GRANDE DO SUL, BRAZIL

Checklist Question	Ref.	MoV*	Comments	Draft Concl.	Final Concl.
			Since only biomass will be combusted, CO_2 emission from combustion is zero.		
			Emissions resulting from the transportation of the biomass are accounted for, and correspond to the transport itself and the compacting process. There are no combustion residues.		
E.1.2. Have all relevant greenhouse gases and sources been evaluated?	/1/	DR	Yes.		ОК
E.1.3. Do the methodologies for calculating project emissions comply with existing good practice?	/1/	DR	The calculation of the emission reductions is in accordance with AMS-III.E and takes into account all relevant factors of the project technology.		ОК
E.1.4. Are the calculations documented in a complete and transparent manner?	/1/	DR	Yes, all the sources and calculations are well documented. However, the emissions estimated due to fossil fuel use for compacting biomass are not correct. There is an unit inconsistency in the spread sheet received.	CL 9	ОК
E.1.5. Have conservative assumptions been used?	/1/	DR	See E.1.4.	CL 9	OK
E.1.6. Are uncertainties in the project emissions estimates properly addressed?	/1/	DR	See E.1.4.	CL 9	ОК
E.2. Leakage It is assessed whether there leakage effects, i.e. change of emissions which occurs outside the project boundary and which are measurable and attributable to the project, have been properly assessed and estimated ex-ante.					
E.2.1. Are leakage calculation required for the	/1/	DR	No leakage calculation is required for this specific		OK
* MoV = Means of Verification, DR= Document Review	v, I= In	terview		Pag	ge A-15

GEEA-SBS Biomass Treatment Project in ALEGRETE, RIO GRANDE DO SUL, BRAZIL

				Draft	Final
Checklist Question	Ref.	MoV*	Comments	Concl.	Concl.
selected project category and if yes, are the relevant leakage effects assessed?			situation. See D.3.1.		
E.2.2. Are potential leakage effects properly accounted for in the calculations (if applicable)?	/1/	DR	See D.3.1.		OK
E.2.3. Do the methodologies for calculating leakage comply with existing good practice (if applicable)?	/1/	DR	See D.3.1		ОК
E.2.4. Are the calculations documented in a complete and transparent manner and (if applicable)?	/1/	DR	See D.3.1.		ОК
E.2.5. Have conservative assumptions been used (if applicable)?	/1/	DR	See D.3.1		OK
E.2.6. Are uncertainties in the leakage estimates properly addressed (if applicable)?	/1/	DR	See D.3.1		ОК
E.3. Baseline GHG Emissions The validation of ex-ante estimated baseline GHG emissions focuses on transparency and completeness of calculations.					
E.3.1. Are the baseline emission boundaries clearly defined and do they sufficiently cover sources for baseline emissions?	/1/	DR	For the treatment of the biomass the boundaries are defined as the physical, geographical site where the project takes place. See A.2.1.	CL 7	OK
E.3.2. Are all aspects related to direct and indirect baseline emissions captured in the project design?	/1/	DR	Yes.		ОК
E.3.3. Have all relevant greenhouse gases and sources been evaluated?	/1/	DR	CH4 emissions from biomass being landfilled are considered.		OK

GEEA-SBS Biomass Treatment Project in ALEGRETE, RIO GRANDE DO SUL, BRAZIL

Checklist Question	Ref.	MoV*	Comments	Draft Concl.	Final Concl.
E.3.4. Do the methodologies for calculating baseline emissions comply with existing good practice?	/1/	DR	The MCF factor considered is 0.8 based on the IPCC default for unmanaged deep waste disposal sites with depths greater than or equal to 5 meters. This was checked during the follow up interview and this factor was deemed appropriate for the estimations.		ОК
E.3.5. Are the calculations documented in a complete and transparent manner?	/1/	DR	Yes.		ОК
E.3.6. Have conservative assumptions been used?	/1/	DR	Yes.		ОК
E.3.7. Are uncertainties in the baseline emissions estimates properly addressed?	/1/	DR	No uncertainties are foreseen.		ОК
E.4. Emission Reductions Validation of ex-ante estimated emission reductions.					
E.4.1. Will the project result in fewer GHG emissions than the baseline case?	/1/	DR	The project is forecasted to reduce CO_2 emissions to the extent of 192 229 t CO_2e (19 223 t CO_2e / year average) over the defined fix 10-year crediting period.		ОК
F. Environmental Impacts					
It is assessed whether environmental impacts of the project are sufficiently addressed.					
F.1.1. Does host country legislation require an analysis of the environmental impacts of the project activity?	/1/	DR	GEEA has been granted the Operating License # 86/2006-DL, in 09 February 2006 issued by FEPAM (State Environmental Protection Foundation) and valid until 25 October 2010 for the project and its facilities.		ОК

GEEA-SBS Biomass Treatment Project in ALEGRETE, RIO GRANDE DO SUL, BRAZIL

Checklist Question	Ref.	MoV*	Comments	Draft Concl.	Final Concl.
			In order to obtain the license, the project developers showed evidence that no negative environmental impact is incurred by this activity.		
			Environment Licenses are issued after all possible impacts are analyzed by the State Environmental Foundation Protection, FEPAM. No adverse environmental impacts are identified, which seems reasonable given the nature of the project design. Transboundary environmental impacts are not foreseen.		
F.1.2. Does the project comply with environmental legislation in the host country?	/1/	DR	See F.1.1		ОК
F.1.3. Will the project create any adverse environmental effects?	/1/	DR	See F.1.1		OK
F.1.4. Have environmental impacts been identified and addressed in the PDD?	/1/	DR	Yes. The positive environment impacts arising from the project are the reduction in dumping of rice husk and of methane. No negative effects were detected.		ОК
G. Comments by Local Stakeholder					
Validation of the local stakeholder consultation process.					
G.1.1. Have relevant stakeholders been consulted?	/1/	DR	Local stakeholders, such as the Municipal Government, the state and municipal agencies, the Brazilian forum of NGOs, neighbouring communities and the office of the attorney general, were invited to comment on the project, in accordance with the requirements of Resolution 1 of the Brazilian DNA.	CL 11 CL 12	ОК

GEEA-SBS Biomass Treatment Project in ALEGRETE, RIO GRANDE DO SUL, BRAZIL

Checklist Question	Pof	Mo\/*	Commente	Draft Conol	Final
Checklist Question	Ref.	MOV*	Comments The local stakeholders are listed in the Appendix 3 of the PDD. The letters sent to the local stakeholders and the received comments were assessed. However, the project participant did not send a copy of all the letters sent to the stakeholders. The PDD reports that no comments were received specifically for this project, but some of them also refer to the silica production project. So, these comments have to be taken into account by the project participants. So, the sentence found in G.3 section does not correspond of an acceptable sentence. In this section the project participant should write only actions that have been done in order to answer the comments received	Conci.	Conci.
G.1.2. Have appropriate media been used to invite comments by local stakeholders?	/1/	DR	See G.1.1	CL 11 CL 12	ОК
G.1.3. If a stakeholder consultation process is required by regulations/laws in the host country, has the stakeholder consultation process been carried out in accordance with such regulations/laws?	/1/	DR	See G.1.1	GL 11 GL 12	ОК
G.1.4. Is a summary of the comments received provided?	/1/	DR	See G.1.1	CL 11 CL 12	ОК
G.1.5. Has due account been taken of any comments received?	/1/	DR	See G.1.1	CL 11 CL 12	ОК

Draft report corrective action requests and requests for clarification	Ref. to Table 2	Summary of project participants' response	Final conclusion
CL 1 The length of the crediting period and the expected operational lifetime of the project activity should be stated in years and months.	C.1.1 C.1.2	It was corrected in the version 3 of the PDD.	The last version of the PDD was assessed and the changes done are enough. This CL is closed.
CL 2 No answers should be addressed in the item C.2.2 of the PDD.	C.1.2	It was corrected in the version 3 of the PDD.	The last version of the PDD was assessed. This CL is closed.
CL 3 The project participant should provide more information about main equipments that are being installed in the project plant and are related with the CDM.	A.2.2	The information is addressed in the version 3 of the PDD.	The information about the equipments was assesses by DNV. This CL is closed.
CL 4 The PDD reports some applicability criteria that not correspond to the last version of AMS-III.E.	B.1.2	It was corrected in the version 3 of the PDD.	The last version of the PDD was assessed and the changes done are enough. This CL is closed.
CL 5 The project participant should provide information why they do not request permission to burn the biomass residues.	B.2.5	Disposal of rice husk by burning it in the open air is not an acceptable practice in Rio Grande do Sul State anymore. In the past, it was a common practice; however, this leads to air pollution and it is not accepted by communities. Therefore, it was completely forbidden by the State regulation and State environmental agencies. As the project developers are concerned about the environment and about their image, they have not requested authorization for open-air burning; but even if they did	The last version of the PDD was assessed and the changes done are enough. This CL is closed.

Table 3Resolution of Corrective Action and Clarification Requests

GEEA-SBS Biomass Treatment Project in ALEGRETE, RIO GRANDE DO SUL, BRAZIL

Draft report corrective action requests and requests for clarification	Ref. to Table 2	Summary of project participants' response	Final conclusion
•		would not obtain the authorization.	
		The scenario of open air burning (scenario 2, section B.3) was edited in the version 3 of the PDD to inform the reader that this practice is completely unacceptable by society and forbidden by law.	
CL 6 The methodology AMS-III.G and the "Tool to determine methane emissions avoided from dumping waste at a solid waste disposal site" were not addressed in the item " <i>B.1. Title and</i> <i>reference of the approved baseline and</i> <i>monitoring methodology applied to the small-</i> <i>scale project activity</i> " of the PDD.	B.1.1	It was corrected in version 3 of the PDD.	The last version of the PDD was assessed. This CL is closed.
CL 7 The project boundary is not stated in the item 8 of AMS-III.E (Version 10 of 23 December 2006) as reported in the PDD and there are only three points in this item, not four.	A.2.1 E.3.1	It was corrected in version 3 of the PDD.	The last version of the PDD was assessed and the changes done are enough. This CL is closed.
CL 8 The amount of the biomass combusted in the project activity is calculated instead of measured as requested in the methodology.	D.1.2 D.1.3 D.1.4 D.2.1 D.2.2 D.2.3 D.4.1 D.4.2 D.4.3 D.4.4	The project developer will install a scale (load cell) in the system's entrance, so the amount of biomass will be measured rather than calculated. The necessary changes were done in the version 3 of the PDD. Analysis of the composition will be done as expressed in the monitoring section (version 3 of the PDD).	The last version of the PDD was assessed. Also, a flowchart of the process was assessed by DNV. With this we can observe the localisation of each equipment. This CL is closed.
CL 9	E.1.4	The unit inconsistency was corrected	The last version of the PDD was

GEEA-SBS Biomass Treatment Project in ALEGRETE, RIO GRANDE DO SUL, BRAZIL

Draft report corrective action requests and requests for clarification	Ref. to Table 2	Summary of project participants' response	Final conclusion
The emissions estimated due to fossil fuel use for compacting biomass are not correct. There is an unit inconsistency in the spread sheet received.	E.1.5 E.1.6	by multiplying the amount of diesel oil by its density (840 kg/m3). The corrected values were incorporated into the spreadsheet and corrected in the PDD (version 3).	assessed. This CL is closed.
CL 10 The methodology AMS-I.D and the ACM0002 were not addressed in the item "B.1. Title and reference of the approved baseline and monitoring methodology applied to the small- scale project activity" of the PDD.	B.1.1	Included in version 3 of the PDD.	The methodologies were included in the last version of the PDD. This CL is closed.
CL 11 The project participant did not send a copy of all the letters sent to the stakeholders.	G.1.1 G.1.2 G.1.3 G.1.4 G.1.5	All copy of the letters were re-sent to the DOE. The missing letters were included.	A copy of all the letters were sent to DNV. This CL is closed.
CL 12 The PDD reports that no comments were received specifically for this project, but some of them also refer to the silica production project. So, these comments have to be taken into account by the project participants. So, the sentence found in G.3 section does not correspond of an acceptable sentence. In this section the project participant should write only actions that have been done in order to answer the comments received.	G.1.1 G.1.2 G.1.3 G.1.4 G.1.5	The introductory sentence in item G.3, which explains the Brazilian requirements for public consultation, was removed. The comments and actions were added to the version 3 of the PDD.	The last version of the PDD was assessed and the changes done are enough. This CL is closed.
CL 13 The procedures for emergency preparedness for cases where emergencies can cause unintended emissions have not been identified in monitoring plan. DNV requests	D.5.4		It was observed that there is no unintended emission. All the processes are controlled. This CL is closed.

GEEA-SBS Biomass Treatment Project in ALEGRETE, RIO GRANDE DO SUL, BRAZIL

Draft report corrective action requests and requests for clarification	Ref. to Table 2	Summary of project participants' response	Final conclusion
further clarifications about the procedures.			

- 000 -

APPENDIX B

CERTIFICATES OF COMPETENCE



Luis Filipe Tavares

Qualification in accordance with DNV's Qualification scheme for CDM/JI (ICP-9-8-i1-CDMJI-i1

GHG Auditor:YesCDM Validator:YesJI Validator:--CDM Verifier:YesJI Verifier:--Industry Sector Expert for Sectoral Scope(s):Sectoral scope 9 & 13

Høvik, 6 November 2006

Uni heller

Einar Telnes Director, International Climate Change Services

Michael Cehman

Michael Lehmann Technical Director



Einar Telnes

Qualification in accordance with DNV's Qualification scheme for CDM/JI (ICP-9-8-i1-CDMJI-i1

GHG Auditor:	Yes		
CDM Validator:	Yes	JI Validator:	
CDM Verifier:	Yes	JI Verifier:	
Industry Sector Expert for Sectoral Scope(s):	Sectoral	scope 1, 2, 3 6 & 10	
Technical Reviewer for (group of) methodologies:			
ACM0001, AM0002, AM0003, AM0010, AM0011, AM0012, AMS-III.G	Yes	AM0027	Yes
ACM002, AMS-I.A-D, AM0019, AM0026, AM0029, AM0045	Yes	AM0028, AM0034	Yes
ACM003, ACM0005, AM0033, AM0040	Yes	AM0030	Yes
ACM0004	Yes	AM0031	Yes
ACM0006, AM0007, AM0015, AM0036, AM0042	Yes	AM0032	Yes
ACM0007	Yes	AM0035	Yes
ACM0008	Yes	AM0038	Yes
ACM0009, AM0008, AMS-III.B	Yes	AM0041	Yes
AM0006, AM0016, AMS-III.D, ACM0010	Yes	AM0034	Yes
AM0009, AM0037	Yes	AM0043	
AM0013, AM0022, AM0025, AM0039, AMS- III.H, AMS-III.I	Yes	AM0046	
AM0014	Yes	AM0047	
AM0017	Yes	AMS-II.A-F, AM0044	Yes
AM0018	Yes	AMS-III.A	Yes
AM0020	Yes	AMS-III.E, AMS-III.F	Yes
AM0021	Yes		
AM0023	Yes		
AM0024	Yes		

Høvik, 5 February 2007

Uni Lehar

Einar Telnes Director, International Climate Change Services

Michael Cehman

Michael Lehmann Technical Director



Raphael Souza

Qualification in accordance with DNV's Qualification scheme for CDM/JI (ICP-9-8-i1-CDMJI-i1

GHG Auditor:	Yes	
CDM Validator:		JI Validator:
CDM Verifier:		JI Verifier:
Industry Sector Expert for Sectoral Scope(s):		

Høvik, 6 November 2006

Uni helas

Einar Telnes Director, International Climate Change Services

Michael Cehman

Michael Lehmann Technical Director



Andrea Leiroz

Qualification in accordance with DNV's Qualification scheme for CDM/JI (ICP-9-8-i1-CDMJI-i1

GHG Auditor:	Yes		
CDM Validator:	Yes	JI Validator:	
CDM Verifier:	Yes	JI Verifier:	
Industry Sector Expert for Sectoral Scope(s):			

Høvik, 18 July 2007

linni helar

Einar Telnes Director, International Climate Change Services

Michael Cehman

Michael Lehmann Technical Director