



PRESIDÊNCIA DA REPÚBLICA
GABINETE DE SEGURANÇA INSTITUCIONAL
AGÊNCIA BRASILEIRA DE INTELIGÊNCIA
SECRETARIA DE PLANEJAMENTO, ORÇAMENTO E ADMINISTRAÇÃO
DEPARTAMENTO DE ADMINISTRAÇÃO E LOGÍSTICA
COORDENAÇÃO-GERAL DE TELEMÁTICA
COORDENAÇÃO DE INFORMÁTICA

ATESTADO DE CAPACIDADE TÉCNICA

Atestamos, para devidos fins, que a empresa NETSUL INFORMÁTICA LTDA, com sede a Rua Dona Gabriela, 333 – Bairro Menino Deus, Porto Alegre, Rio Grande do Sul, inscrita no CNPJ nº 94.888.260/0001-99, forneceu, através do Pregão Eletrônico 12/2007, Processo nº 01180000295/2007, equipamentos, programas e serviços de instalação e capacitação de pessoal para os ativos de rede de dados e comunicação, conforme detalhado abaixo:

ITEM 1	Nota Fiscal 802 e 803	02 Unidades de Switch modular tipo 1 conforme abaixo:
QT	PN	Descrição
1	WS-C6513	Cisco Catalyst 6513 System
1	S733AIK9-12218SXF	Cisco CAT6000-SUP720 IOS ADVANCED IP SERVICES SSH
1	CF-ADAPTER-SP	SP adapter with compact flash for SUP720
2	WS-SUP720-3B	Catalyst 6500 / Cisco 7600 Supervisor 720 Fabric MSFC3 PFC3B
1	CF-ADAPTER-SP	SP adapter with compact flash for SUP720
1	CVDM-C6500-1.1-K9	CiscoView Device Mgr 1.1 for Catalyst 6500 Series 3DES
1	CVDM-CSM-1.1-K9	CiscoView Device Mgr 1.1 for Content Switch Mod 3DES
1	CVDM-VPNSM-1.1-K9	CiscoView Device Mgr 1.1 for VPN Services Mod 3DES
1	SC6K-3.0.0A13-ACE	ACE 3.0.0A1(3) Software Release
1	WS-X6148A-GE-45AF	Cat6500 PoE 802.3af 10/100/1000, 48 port(RJ45)line card
1	WS-X6148A-GE-45AF	Cat6500 PoE 802.3af 10/100/1000, 48 port(RJ45)line card
1	WS-X6148A-GE-45AF	Cat6500 PoE 802.3af 10/100/1000, 48 port(RJ45)line card
1	WS-X6724-SFP	Catalyst 6500 24-port GigE Mod: fabric-enabled (Req. SFPs)
1	WS-X6704-10GE	Cat6500 4-port 10 Gigabit Ethernet Module (req. XENPAKs)
1	SPA-IPSEC-SSC400-1	Cisco 6500/7600 IPsec VPN Bundle1: 1 IPsec VPN SPA + SSC-400
4	CAB-7513AC	AC POWER CORD NORTH AMERICA (110V)
1	MEM-C6K-CPTFL512M	Catalyst 6500 Sup720/Sup32 Compact Flash Mem 512MB
1	BF-S720-64MB-RP	Bootflash for SUP720-64MB-RP
1	MEM-S2-512MB	Catalyst 6500 512MB DRAM on the Supervisor (SUP2 or SUP720)
1	MEM-MSFC2-512MB	Catalyst 6500 512MB DRAM on the MSFC2 or SUP720 MSFC3
1	MEM-C6K-CPTFL512M	Catalyst 6500 Sup720/Sup32 Compact Flash Mem 512MB
1	BF-S720-64MB-RP	Bootflash for SUP720-64MB-RP
1	MEM-S2-512MB	Catalyst 6500 512MB DRAM on the Supervisor (SUP2 or SUP720)
1	MEM-MSFC2-512MB	Catalyst 6500 512MB DRAM on the MSFC2 or SUP720 MSFC3
1	ACE10-6500-K9	Application Control Engine Service Module
1	ACE-08G-LIC	Application Control Engine (ACE) 8Gbps License
1	ACE-SEC-LIC-K9	ACE Free Promotional Data Center Security License
1	WS-SVC-FWM-1-K9	Firewall blade for Catalyst 6500
1	SC-SVC-FWM-2.3-K9	Firewall Module Software 2.3 for 6500 and 7600, 2 free VFW

1	WS-SVC-IDS2-BUN-K9	600M IDS2-2 Mod for Cat /IPSV5.0 for IDS2-2
1	FR-IOSSLB	SLB Licence
1	WS-C6513-EMS-LIC	RMON Licence
1	MEM-XCEF720-256M	Catalyst 6500 256MB DDR, xCEF720 (67xx interface, DFC3A)
1	WS-F6700-CFC	Catalyst 6500 Central Fwd Card for WS-X67xx modules
1	MEM-XCEF720-256M	Catalyst 6500 256MB DDR, xCEF720 (67xx interface, DFC3A)
1	WS-F6700-CFC	Catalyst 6500 Central Fwd Card for WS-X67xx modules
4	WS-F6K-XENBLNKCVR	Catalyst 6500 Xenpak Blank Covers for WS-X6704-10GE
1	7600-SSC-400	Cisco 7600/6500 Services SPA Carrier Card (6 Gbps)
1	SPA-IPSEC-2G	Cisco 7600 / Catalyst 6500 IPSec VPN SPA - DES/3DES/AES
1	IOS-CVPN-CLIENT-K9	VPN Software Client for IOS Security Bundles
2	WS-CAC-6000W	Cat6500 6000W AC Power Supply
1	WS-C6K-13SLT-FAN2	High Speed Fan Tray for Catalyst 6513 / Cisco 7613

ITEM 2	Nota Fiscal 908	2 Unidades de Switch modular tipo 2 conforme abaixo:
QT	PN	Descrição
1	WS-C6513	Cisco Catalyst 6513 System
1	S733ISK9-12218SXF	Cisco CAT6000-SUP720 IOS IP SERVICES SSH
1	CF-ADAPTER-SP	SP adapter with compact flash for SUP720
2	WS-SUP720-3B	Catalyst 6500 / Cisco 7600 Supervisor 720 Fabric MSFC3 PFC3B
1	CF-ADAPTER-SP	SP adapter with compact flash for SUP720
1	WS-X6148A-GE-45AF	Catalyst 6500 48-Port PoE 802.3af 10/100/1000, w/Jumbo Frame
1	WS-X6148A-GE-45AF	Catalyst 6500 48-Port PoE 802.3af 10/100/1000, w/Jumbo Frame
1	WS-X6148A-GE-45AF	Catalyst 6500 48-Port PoE 802.3af 10/100/1000, w/Jumbo Frame
1	WS-X6724-SFP	Catalyst 6500 24-port GigE Mod: fabric-enabled (Req. SFPs)
1	WS-X6704-10GE	Cat6500 4-port 10 Gigabit Ethernet Module (req. XENPAKs)
1	FR-IOSSLB	SLB Licence
1	WS-C6513-EMS-LIC	RMON Licence
2	WS-CAC-6000W	Cat6500 6000W AC Power Supply
4	CAB-7513AC	AC POWER CORD NORTH AMERICA (110V)
1	MEM-C6K-CPTFL512M	Catalyst 6500 Sup720/Sup32 Compact Flash Mem 512MB
1	BF-S720-64MB-RP	Bootflash for SUP720-64MB-RP
1	MEM-S2-512MB	Catalyst 6500 512MB DRAM on the Supervisor (SUP2 or SUP720)
1	MEM-MSFC2-512MB	Catalyst 6500 512MB DRAM on the MSFC2 or SUP720 MSFC3
1	MEM-C6K-CPTFL512M	Catalyst 6500 Sup720/Sup32 Compact Flash Mem 512MB
1	BF-S720-64MB-RP	Bootflash for SUP720-64MB-RP
1	MEM-S2-512MB	Catalyst 6500 512MB DRAM on the Supervisor (SUP2 or SUP720)
1	MEM-MSFC2-512MB	Catalyst 6500 512MB DRAM on the MSFC2 or SUP720 MSFC3
1	SF-PIX-PDM-4.1	PIX Device Manager for FW Module2.3 for Catalyst 6500
1	MEM-XCEF720-256M	Catalyst 6500 256MB DDR, xCEF720 (67xx interface, DFC3A)
1	WS-F6700-CFC	Catalyst 6500 Central Fwd Card for WS-X67xx modules
4	WS-F6K-XENBLNKCVR	Catalyst 6500 Xenpak Blank Covers for WS-X6704-10GE
1	WS-C6K-13SLT-FAN2	High Speed Fan Tray for Catalyst 6513 / Cisco 7613

ITEM 3	Nota Fiscal 857	2 Unidades de Switch distribuição tipo 1 conforme abaixo:
QT	Produto	Descrição
1	WS-C3750G-48PS-S	Catalyst 3750 48 10/100/1000T PoE + 4 SFP Standard Image
1	CAB-STACK-50CM	Cisco StackWise 50CM Stacking Cable
1	CAB-16AWG-AC	AC Power cord, 16AWG

ITEM 4	Nota Fiscal 761	2 Unidades de Switch distribuição tipo 2 conforme abaixo:
QT	Produto	Descrição
1	WS-C3750G-12S-S	Catalyst 3750 12 SFP Standard Multilayer Image
1	CAB-STACK-50CM	Cisco StackWise 50CM Stacking Cable
1	CAB-AC	Power Cord, 110V

ITEM 5		Nota Fiscal 785	36 unidades de Switch acesso tipo 1 - 48 portas conforme abaixo:
QT	Produto	Descrição	
1	WS-C3560-48PS-S	Catalyst 3560 48 10/100 PoE + 4 SFP Standard Image	
1	CAB-AC	Power Cord,110V	

ITEM 6		Nota Fiscal 761	39 Unidades de Switch acesso l3 tipo 2 - 24 portas conforme abaixo:
QT	Produto	Descrição	
1	WS-C3560-24PS-S	Catalyst 3560 24 10/100 PoE + 2 SFP Standard Image	
1	CAB-AC	Power Cord,110V	

ITEM 7		Nota Fiscal 761	150 Unidades Conversores ópticos para os switches conforme abaixo:
QT	Produto	Descrição	
74	GLC-SX-MM=	GE SFP, LC connector SX transceiver	
66	GLC-LH-SM=	GE SFP, LC connector LX/LH transceiver	
10	XENPAK-10GB-LR=	10GBASE-LR XENPAK Module	

ITEM 8		Nota Fiscal 855	3 Unidades de Roteador tipo 1 conforme abaixo:
QT	Produto	Descrição	
1	CISCO2821-SEC/K9	2821 Security Bundle,Adv Security,64F/256D	
1	CAB-AC	Power Cord,110V	
2	HWIC-4T=	4-Port Serial HWIC	
8	CAB-SS-V35MT=	V.35 Cable, DTE Male to Smart Serial, 10 Feet	
1	ROUTER-SDM	Device manager for routers	
1	S28NASK9-12403	Cisco 2800 ADVANCED SECURITY	
1	PWR-2821-51-AC	Cisco 2821/51 AC power supply	
1	MEM2800-256D-INC	256MB DDR DRAM Memory factory default for the Cisco 2800	
1	MEM2800-64CF-INC	64MB CF default for Cisco 2800 Series	

ITEM 9		Nota Fiscal 855	3 Unidades de Roteador tipo 2 conforme abaixo:
QT	Produto	Descrição	
1	C2821-VSEC-K9	2821 VSEC Bundle w/PVDM2-32, Adv IP Serv,64F/256D	
1	PVDM2-32U64	PVDM2 32-channel to 64-channel factory upgrade	
1	VIC2-4FXO=	Four-port Voice Interface Card - FXO (Universal)	
1	VVIC2-2MFT-T1/E1=	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1	
1	WIC-2T=	2-Port Serial WAN Interface Card	
1	CAB-AC	Power Cord,110V	
2	CAB-SS-V35MT=	V.35 Cable, DTE Male to Smart Serial, 10 Feet	
2	CAB-E1-DB15=	Cabo E1 DB15 120ohm/Balanceado	
1	ROUTER-SDM	Device manager for routers	
1	S28NAISK9-12403	Cisco 2800 ADVANCED IP SERVICES	
1	PWR-2821-51-AC	Cisco 2821/51 AC power supply	
1	MEM2800-256D-INC	256MB DDR DRAM Memory factory default for the Cisco 2800	
1	MEM2800-64CF-INC	64MB CF default for Cisco 2800 Series	

ITEM 10		Nota Fiscal 855	2 Unidades de Roteador tipo 3 conforme abaixo:
QT	Produto	Descrição	
1	C2851-VSEC-K9	2851 VSEC Bundle w/PVDM2-48,Adv IP Serv,64F/256D	
1	PVDM2-32U64	PVDM2 32-channel to 64-channel factory upgrade	
1	VIC2-4FXO=	Four-port Voice Interface Card - FXO (Universal)	
1	VVIC2-2MFT-T1/E1=	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1	
1	WIC-2T=	2-Port Serial WAN Interface Card	
1	PWR-2821-51-AC-IP=	Cisco 2821/51 AC/IP power supply	
1	CAB-AC	Power Cord,110V	
2	CAB-SS-V35MT=	V.35 Cable, DTE Male to Smart Serial, 10 Feet	
2	CAB-E1-DB15=	Cabo E1 DB15 120ohm/Balanceado	

1	ROUTER-SDM	Device manager for routers
1	S28NAISK9-12403	Cisco 2800 ADVANCED IP SERVICES
1	MEM2800-256D-INC	256MB DDR DRAM Memory factory default for the Cisco 2800
1	MEM2800-64CF-INC	64MB CF default for Cisco 2800 Series

ITEM 11	Nota Fiscal 766 e 857	12 Unidades de Roteador para regionais tipo 1 conforme abaixo:
QT	Produto	Descrição
1	C2851-VSEC-SRST/K9	2851 VSEC Bundle w/PVDM2-48,FL-SRST-96,Adv IP Serv,64F/256D
1	CAB-AC	Power Cord,110V
1	PVDM2-48U64	PVDM2 48-Channel to 64-Channel Factory Upgrade
1	VIC2-4FXO=	Four-port Voice Interface Card - FXO (Universal)
1	WWIC2-2MFT-T1/E1=	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
1	WIC-2T=	2-Port Serial WAN Interface Card
2	CAB-SS-V35MT=	V.35 Cable, DTE Male to Smart Serial, 10 Feet
2	CAB-E1-DB15=	Cabo E1 DB15 120ohm/Balanceado
1	ROUTER-SDM	Device manager for routers
1	S28NAISK9-12403	Cisco 2800 ADVANCED IP SERVICES
1	PWR-2821-51-AC	Cisco 2821/51 AC power supply
1	FL-SRST-96	Feat Lic Survivable Remote Site Telephony up to 96 phones
1	MEM2800-256D-INC	256MB DDR DRAM Memory factory default for the Cisco 2800
1	MEM2800-64CF-INC	64MB CF default for Cisco 2800 Series

ITEM 12	Nota Fiscal 855	6 Unidades de Roteador para regionais tipo 2 conforme abaixo:
QT	Produto	Descrição
1	C2811-VSEC-SRST/K9	2811 VSEC Bundle w/PVDM2-16,FL-SRST-36,Adv IP Serv,64F/256D
1	VIC2-4FXO=	Four-port Voice Interface Card - FXO (Universal)
1	WIC-2T=	2-Port Serial WAN Interface Card
1	CAB-AC	Power Cord,110V
2	CAB-SS-V35MT=	V.35 Cable, DTE Male to Smart Serial, 10 Feet
1	ROUTER-SDM	Device manager for routers
1	S28NAISK9-12403	Cisco 2800 ADVANCED IP SERVICES
1	FL-SRST-36	Feature Lic Survivable Remote Site Telephony up to 36 phones
1	PWR-2811-AC	Cisco 2811 AC power supply
1	PVDM2-16	16-Channel Packet Voice/Fax DSP Module
1	MEM2800-256D-INC	256MB DDR DRAM Memory factory default for the Cisco 2800
1	MEM2800-64CF-INC	64MB CF default for Cisco 2800 Series

ITEM 13	Nota Fiscal 855	8 Unidades de Roteador para regionais tipo 3 conforme abaixo:
QT	Produto	Descrição
1	C2811-VSEC-SRST/K9	2811 VSEC Bundle w/PVDM2-16,FL-SRST-36,Adv IP Serv,64F/256D
1	NME-16ES-1G-P=	1 16 port 10/100 EtherSwitch NM with standard POE
1	VIC2-4FXO=	Four-port Voice Interface Card - FXO (Universal)
1	WIC-2T=	2-Port Serial WAN Interface Card
1	PWR-2811-AC-IP=	Cisco 2811 AC/IP power supply
1	CAB-AC	Power Cord,110V
2	CAB-SS-V35MT=	V.35 Cable, DTE Male to Smart Serial, 10 Feet
1	ROUTER-SDM	Device manager for routers
1	S28NAISK9-12403	Cisco 2800 ADVANCED IP SERVICES
1	PPWR-DCARD-16ESW	1 Power daughtercard for 16 port Etherswitch NM
1	FL-SRST-36	Feature Lic Survivable Remote Site Telephony up to 36 phones
1	PVDM2-16	16-Channel Packet Voice/Fax DSP Module
1	MEM2800-256D-INC	256MB DDR DRAM Memory factory default for the Cisco 2800
1	MEM2800-64CF-INC	64MB CF default for Cisco 2800 Series

ITEM 14	Nota Fiscal 853	1 Unidade de Sistema de Controle e Serviços de Telefonia IP redundante conforme abaixo:
QT	Produto	Descrição
3	CALLMANAGER-5.1	Top Level Part Number Used In Ordering Tool
3	MCS7835H2-K9-CMA2	HW/SW CallMgr 5.1 7835-H2 Appliance, 0 Seats
3	MEM-7835-H2-2GB=	Spare 2x1GB DIMMs For MCS 7835-H2 server
6	CAB-AC	Power Cord,110V
3	CUOMSM-EVAL-K9	Cisco Unified Operations Mgr And Service Monitor Eval CD
3	SW-UPS1.0-K9P	Unified Presence Server 1.0 Software - available with CCM
3	UCCX-45-CM-BUNDLE	5 Seat IPCCX STD CCM Bundle - AVAILABLE ONLY WITH CCM
3	LIC-CM5.1-7835=	License CallMgr 5.1 7835 Appliance, 2,500 seats
4	LIC-CM-DL-1000=	CallManager Device License - 1,000 units
4	LIC-CM-DL-100=	CallManager Device License - 100 units

ITEM 15	Nota Fiscal 829	1 Unidade de Sistema de Caixa Postal IP conforme abaixo:
QT	Produto	Descrição
1	UNITYCN-BUNDLE	Unity Connection 1.x SW plus HW Bundle
1	UNITYCN-1	Unity Connection 1.x Software
1	UNITYCN-K9-200USR	Unity Connection, 200 users, 16 ports, 1 TTS
1	MCS-7825-H2-UC1	MCS-7825-H2 Rack; Unity Connection; 2GB; SATA RAID; Win2003
1	UNITY-PWR-US	Power Cord - US, Can, Mex, PR, Phil, Ven, Tai, Col, Ecu
1	UNITYCN1-RECDISK	Windows 2003 media for use with Unity Connection

ITEM 16	Nota Fiscal 829 e 852	1.368 Unidades de Teleones IP conorme abaixo:
QT	Produto	Descrição
145	CP-7960G=	Cisco IP Phone 7960G, Global, Spare
1198	CP-7912G=	Cisco IP Phone 7912G, Global, Spare
15	CP-7970G=	Cisco IP Phone 7970G, Global, Spare
10	CP-7921G-A-K9	Cisco 7921/FCC; Battery/Pwr Supply Not Incl
10	CP-PWR-MC7921G=	Cisco 7921 Series Power Supply

ITEM 17	Nota Fiscal 829	1 Unidade de Solução de Vídeo Telefonia conforme abaixo:
QT	Produto	Descrição
1	IPVC-3515-MCU12	Unified Videoconferencing 3515 MCU, 12 Video Ports
12	CUVA-V2=	Cisco Unified Video Advantage with VT Camera II

ITEM 18	Nota Fiscal 857	1 Unidade Concentrador Portas FXS (analógicas) conforme abaixo:
QT	Produto	Descrição
1	VG248	48 Port Voice over IP analog phone gateway
1	CAB-AC	Power Cord,110V

ITEM 19	Nota Fiscal 857	2 Unidades de Solução segurança de rede conforme abaixo:
QT	Produto	Descrição
1	ASA5520-AIP10-K9	ASA 5520 Appliance w/ AIP-SSM-10, SW, HA, 4GE+1FE, 3DES/AES
1	CAB-AC	Power Cord,110V
1	SF-ASA-7.2-K8	ASA 5500 Series Software v7.2
1	ASA-VPN-CLNT-K9	Cisco VPN Client Software (Windows, Solaris, Linux, Mac)
1	ASA5520-VPN-PL	ASA 5520 VPN Plus 750 Peer License
1	ASA5500-ENCR-K9	ASA 5500 Strong Encryption License (3DES/AES)
1	ASA-AIP-10-INQ-K9	ASA 5500 AIP Security Services Module-10 included w/ bundles
1	SF-ASA-AIP-5.1-K9	ASA 5500 Series AIP Software 5.1 for Security Service Modules

ITEM 20	Nota Fiscal 829	2 Unidades de Equipamento para Monitoramento, Análise e Resposta e Eventos de Segurança conforme abaixo:
QT	Produto	Descrição
1	CS-MARS-100E-K9	CS-MARS 100E 3RU Appliance, 3,000 EPS, 750GB RAID10, HW/SW

ITEM 21	Nota Fiscal 852	1 Unidade de Solução de controle de acesso das estações conforme abaixo:
QT	Produto	Descrição
2	CSA-STARTER-K9	CSA Starter Kit Bundle
2	CSA-B25-SRVR-K9	Cisco Security Agent [25 Server Agent Bundle]
1	CSA-B2500-DTOP-K9	Cisco Security Agent [2,500 Desktop Agent Bundle]

ITEM 22	Nota Fiscal 829	2 Unidades de Servidor de Segurança Radius conforme abaixo:
QT	Produto	Descrição
1	CSACSE-1113-K9	Cisco Secure ACS 4.X Solution Engine 1113 Appliance
1	CAB-AC	Power Cord, 110V
1	CSACSE-4.1-SW-K9	Config. Option: ACS 4.1 software loaded on 1113

ITEM 23	Nota Fiscal 829	2 Unidades de Solução Wireless conforme abaixo:
QT	Produto	Descrição
1	AIR-AP1242AG-A-K9	802.11a/g Non-modular IOS AP; RP-TNC; FCC Cnfg
1	AIR-PWR-CORD-NA	AIR Line Cord North America
1	S124W7K9-12308JEA	Cisco 1240 Series IOS WIRELESS LAN
1	AIR-PWR-A	Pwr Sply In:100-240VAC Out:48VDC 380mA -1100, 1130AG, 1200
1	AIR-ANT1728	5.2 dBi Omni Ceiling Mount Antenna
1	AIR-CONCAB1200=	Console Cable for 1130AG, 1200, 1230AG Platform

ITEM 24	Nota Fiscal 829	04 Unidades de Placa Wireless - placa de rede sem fio para pc-notebook conforme abaixo:
QT	Produto	Descrição
1	AIR-CB21AG-A-K9	802.11a/b/g Cardbus Adapter; FCC Cnfg


ITEM 25	Nota Fiscal 852	1 Unidade Solução de gerenciamento de rede conforme abaixo:
QT	Produto	Descrição
1	CWLMS-2.6-R-K9	LMS 2.6 Enterprise WIN/SOL
1	PE 1950-CLASS FAM-9626	DELL Power Edges Servers

ITEM 26	Nota Fiscal 852	1 Unidade de Solução de gerenciamento de segurança conforme abaixo:
QT	Produto	Descrição
1	CSMST5-3.0-K9	CS Mgr 3.0 Enterprise Standard
1	PE 1950-CLASS FAM-9626	DELL Power Edges Servers


ITEM 27	Nota Fiscal 829	166 Unidades de Adaptador para Telefone Analógico (ATA) conforme abaixo :
QT	Produto	Descrição
1	ATA186-I1-A=	Spare Cisco ATA 186 2-Port Adaptor, 600 Ohm Impedance
1	ATACAB-NA	ATA Power Supply Cable for North America

SERVIÇOS			
ITEM	NF	QT	Descrição
28	809	01	Capacitação Técnica (9 cursos com 8 participantes cada)
29	813	01	* Serviço de suporte técnico (troca de peças e suporte telefônico especializado) para o período de 1 (um) ano
30	813	01	Serviço de instalação e configuração
31	813	01	Serviço de Consultoria e Planejamento (400 horas)
32	813	01	Suporte Técnicos Residente para 30 dias (6 técnicos divididos em 3 turnos)

Salientamos que houve satisfação neste fornecimento, nada mais havendo a ressaltar.



Luis Antonio Pinto Torres
Chefe da Divisão de Suporte a Redes



Marcos Felipe Lopes Cardoso
Coordenador de Informática

1. OFICIO DE NOTAS DE BRASILIA
DISTRITO FEDERAL
CRS 505-BL. C-LOJAS 1/2/3 BRASILIA-DF

RECONHECO e dou fe' por SEMELHANCA a(s)
firma(s) de:
MARCOS FELIPE LOPES CARDOSO..

Em testemunho da verdade.
Brasília, 25 de Outubro de 2009

JOSE EDUARDO GUIMARAES ALVES
MARCILIO ANTONIO DE SOUZA
JOAO RUA SILVA/ANDRÉ C. DE OLIVEIRA
ROBERTO SEVERO ALVES
MARC ANTONIO BARRETO DE A. JUNIOR

INUDSOP - Hora da Impressão 16:14:49

2º. OFICIO DE NOTAS E PROTESTO
BR/7/SUL CD. 701 BL. 01 LQ 24 TERREO
ED. ASSIS CHATEAUBRIAND - BRASILIA/DF
CNPJ/RF 00.618.421/0001-80

RECONHECO e dou fe' por SEMELHANCA a(s)
firma(s) de:
LUIZ ANTONIO PINTO TORRES..

Em testemunho da verdade.
BRASILIA, 27 de Outubro de 2009

GOIANIO BORGES TEIXEIRA - TABELIAO
IRAMILO SIMOES CORREA - TABELIAO SUBSTIT
MENDONCES ALVES GOUVEIA - ESC. NOT. AUT.
ARITA OLIDES B. P. PAES - ESC. NOT. AUT.
ICLAYTON NASCIMENTO BERNARDO - ESC. NOT. AUT.